

SCN75

68 kg Self-contained Ice Cuber

SIMAG

Other models in this range: SCN25 - SCN35 - SCN45 - SCN125 - SCN215

Technical Features

- Stainless steel bodywork - scotch brite
- Air or water cooled
- Vertical pump
- Main switch (ON/OFF)
- Built-in cleaning system
- Easily accessible components
- Low power and water consumption
- Optimum ratio between ice production and bin capacity
- Reduced dimensions
- Double defrosting system
- Refrigerant R134a

24 Hour Ice Production - 10°C/10° C

Air Cooled	65 kg	No. of cubes 3250
Water Cooled	68 kg	No. of cubes 3400

Bin Capacity

kg 33

Warranty

3 years warranty on components



Voltage

230/50/1 standard version
220-240/60/1 version available on demand

Technology and Certifications



Certified ISO 9001:2008
TOTAL QUALITY



MILANO OFFICE
Sales Dept.
Tel. +39 02 93900215
e-mail: sales@simag.it
Service Dept.
Tel. +39 02 93960357
e-mail: service@simag.it

SIMAG FAR EAST
Singapore Office
Tel. ++65 6738 5393
e-mail: scotsman@scotsman.com.sg


www.simag.it

SCN75

68 kg Self-contained Ice Cuber



Other models in this range: SCN25 - SCN35 - SCN45 - SCN125 - SCN215



CONTROL BOARD



MAIN SWITCH
New embedded main switch



VENTILATING GRILLE
New ventilating grille in water cooled version



CLEANING SYSTEM
Easy cleaning of water pump filter



TOP ANGLE
New top plastic round corners



AIR FILTER
New condenser air filter for air cooled version

Operating Limits

	Minimum	Maximum
Air Temperatures	10°C	43°C
Water Temperatures	5°C	38°C
Electrical Voltage	-10%	+10%
Water Pressure	14 psi 1 bar	70 psi 5 bar

Specifications and design are subject to change without notice

	Voltage	Power Input Watt (*)	Refrigerant	Refrigerant charge kg	Fuse Amp	Water Consumption l/h (**)	Net Weight kg	Shipping Weight kg
SCN 75 AS	230/50/1	670	R134a	0,5	10	9	74	n.a.
SCN 75 AS	220-240/60/1	n.a.	R134a	n.a.	n.a.	n.a.	74	n.a.
SCN 75 WS	230/50/1	520	R134a	0,38	10	41	74	n.a.
SCN 75 WS	220-240/60/1	n.a.	R134a	n.a.	n.a.	n.a.	74	n.a.

(*) Power Input: at 43°C Ambient Temperature

(**) Water Consumption: at 32°C Air and 21°C Water